DualFlow Plus M14

ADD TO PROJECT | 0

by Saniflow Hand Dryers 🔗 🖾

FIRM PERSPECTIVE



0 Add to Collection 2





Designer Pages PRO Users Only

Search...

Sign up for PRO to unlock your Firm Perspective, which helps keep track of how you and/or colleagues in your firm interact with products like this.

Learn more about PRO



+ Add a New Vendor

Login as a PRO to manage your vendor relationships.

Manufacturer's Product Description

The DUALFLOW PLUS is a hands-in hand dryer providing a fast drying time of 10-15 seconds. Eco-friendly dryer, saves up to 57% more on energy than traditional hand dryers. Includes a retractable water tank, HEPA filter, and Biocote anti-microbial protection coat embedded onto the surface of the dryer.

Attachments

PDF DATA SHEET . PDF Flyer Dualflow Plus Range









Machflow M09

ADD TO PROJECT |

0 Add to Collection 1









Designer Pages PRO Users Only

O Search...

Sign up for PRO to unlock your Firm Perspective, which helps keep track of how you and/or colleagues in your firm interact with products like this.

Learn more about PRO

Vendors + Add a New Vendor

Login as a PRO to manage your vendor relationships.

Manufacturer's Product Description

The MACHFLOW hand dryer is our most powerful and energy efficient high speed hand dryer. It incorporates a low energy, high pressure, and adjustable motor which allows you to control the sound, speed, and power consumption. Available in several finishes and an optional ADA recess kit.



PDF DATA SHEET • PDF Flyer Machflow Range





APPLIANCES → HAND DRYERS

Speedflow M06

by Saniflow Hand Dryers 🔗 🖾





0 Add to Collection 1 Share 2





Designer Pages PRO Users Only

Sign up for PRO to unlock your Firm Perspective, which helps keep track of how you and/or colleagues in your firm interact with products like this.

Learn more about PRO

Vendors

+ Add a New Vendor

Login as a PRO to manage your vendor relationships.

Manufacturer's Product Description

The SPEEDFLOW hand dryer is a high speed warm air hand dryer that incorporates an adjustable motor to regulate the speed, power consumption, and sound. This model only protrudes 4" from the wall, making it ADA compliant, no recess kit necessary.

Attachments

PDF DATA SHEET • PDF Flyer Speedflow Range



